

TEST REPORT

Format No: RRS-TR-01

Form 50 [See Rule 160-D(f)]

Report No: RR190457/MCR/TMC/TFC/PD/11-19	Report date : 16/11/2019
Submitted to:	Ref No: RR190457
Atharva Ayurpharma Vision	Date of receipt : 08/11/2019
No.309/A Atharva:2 nd stage kallahalli,	Date of analysis : 08/11/2019
Vinobanagara	Sample name : Atharva Ayudantham
Shivamogga-577204	Sample description: Brown Colour Liquid
	Batch No: 1910/A
	Sample quantity : 100 ml
	Condition on receipt : Good
	Sampling date: -


FINISHED PRODUCT TEST CERTIFICATE


(The Drugs & Cosmetic Act 1940 and the rules there under)


S. No	Particulars	Limit	Results	Method
01	Total Aerobic Microbial Count (TAMC) Cfu/gm/ml	<1,00,000	<10	A.P.I, 2008, P-II, Vol-II
02	Total Yeast & Mould count (TYMC) Cfu/gm/ml	<1,000	<10	A.P.I, 2008, P-II, Vol-II
03	Pathogen detection			
	<i>Escherichia coli</i> /ml	Absent	Absent	A.P.I, 2008, P-II, Vol-II
	<i>Staphylococcus aureus</i> /ml	Absent	Absent	A.P.I, 2008, P-II, Vol-II
	<i>Salmonella sp</i> /ml	Absent	Absent	A.P.I, 2008, P-II, Vol-II
	<i>Pseudomonas aeruginosa</i> /ml	Absent	Absent	A.P.I, 2008, P-II, Vol-II

Remarks: The sample complies to A.P.I, 2008, P-II, Vol-II specification with respect to tested parameters only

***** END *****


Analyzed by
 Name: Ms. Veena C
 Designation: Analyst


Checked by
 Name: Mr. Jagadeep Sagar C
 Designation: Sr. Analyst


Authorised by
 Name: Dr. Manjunath S
 Designation: Technical Manager

Note: *marked tests are not under NABL scope
 # marked tests are out sourced
 Report No with suffix R-Revised Report
 Complies -pass & doesn't complies-fail

Page No 1 of 1